

### Safety Data Sheet

#### **Section 1: Identification**

**Product Name:** Isopropanol - SKU #80-0920

**IPA** 2-Propanol Synonyms: Isopropyl Alcohol

CAS No .: 67-63-0 Chemical Formula: C3H8O

Distributor: Romanoff International Supply Corp. Emergency Number:

9 Deforest St. CHEMTEL, ACCOUNT #MIS4594445 COLLECT CALLS ACCEPTED

Amityville NY, 11701, USA 24 HR EMERGENCY TELEPHONE: USA, CANADA 1-800-255-3924 1-800-221-7448

AUSTRALIA: 1-300-954-583 BRAZIL: 0-800-591-6042 CHINA: 400-120-0751

INDIA: 000-800-100-4086 MEXICO: 01-800-099-0731

ALL OTHER COUNTRIES: 1-813-248-0585

### Section 2: Hazard(s) Identification

**Emergency Overview:** Hygroscopic. This substance has caused adverse reproductive and fetal effects in animals.

May form explosive peroxides.

Causes digestive and respiratory tract irritation.

Target Organs: Kidneys, central nervous system, gastrointestinal system, cardiovascular system.

#### **GHS Classification:** Category

Flammable liquids	2
Skin irritation	3
Eye irritation	2A
Specific target organ toxicity-single exposure	3

#### **GHS Label elements:**

Pictograms:





Signal Word:	Danger

**Hazard Statements:** Code Description

Highly flammable liquid and vapor. H225

H316 Causes mild skin irritation. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**Precautionary Statements:** Code Description

> P210 Keep away from heat/spark/open flames/ hot surfaces - No smoking

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

IF IN EYES: Rinse cautiously with water for several minutes. Remove P305, P351,

P338 contact lenses, if present and easy to do. Continue rinsing. Other classifications:

NFPA Rating: HMIS:

Health:1Health:2Fire:3Flammability:3Reactivity:0Physical:0

Section 3: Composition, Information on Ingredients				
Component	CAS No	Index No.	Concentration	EINECS No
2-Propanol	67-63-0	603-117-00-0	100%	200-661-7

#### **Section 4: First-aid measures**

**Inhalation:** Remove to fresh air.

If not breathing, apply artificial respiration.

If breathing is difficult, give oxygen provided a qualified individual is present.

Get medical assistance.

**Ingestion:** Do NOT induce vomiting.

Rinse mouth and rest.

Call physician or poison control center immediately.

Skin Contact: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash clothing before reuse or discard if they cannot be thoroughly cleaned.

Get medical aid.

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Remove contact lenses if present and easy to do.

Get medical aid.

#### Section 5: Fire-fighting measures

**Conditions of flammability:** Flammable Liquid, will burn if involved in a fire.

**Extinguishing Media:** Do NOT use straight streams of water.

Material is lighter than water and a fire may be spread by the use of water.

For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray. For small fires, use carbon dioxide, dry chemical, dry sand, or alcohol-resistant foam.

Cool containers with flooding quantities of water until well after fire is out.

Special protective equip.: Wear a self-contained breathing apparatus MSHA/NIOSH (approved or equivalent), and

full protective gear.

Hazardous combustion products: Carbon oxides

**Special Information:** Containers may explode in the heat of a fire.

Vapors may be heavier than air and can collect in low or confined areas.

Vapors can travel to a source of ignition and flash back.

Vapors may form an explosive mixture with air.

#### Section 6: Accidental release measures

Personal precautions: Wear personal protection equipment.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Methods of containment/cleanup: Clean up spills immediately.

Absorb spill with inert material, then place into a chemical waste container.

A vapor suppressing foam may be used to reduce vapors.

#### Section 7: Handling and storage

Handling: Wash thoroughly after handling.

Wear protective gloves, clothing, eye & face protection

Remove all sources of ignition.

Use a spark-proof tool. Provide ventilation.

Ground and bond containers when transferring material.

Use spark-proof tools and explosion proof equipment.

Loosen closure cautiously before opening. Contents may develop pressure upon prolonged storage.

Empty containers retain product residue, (liquid and/or vapor), and can be dangerous.

Take precautionary measures against static discharges.

Use only in a chemical fume hood.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.

Storage: Keep away from sources of ignition, heat, sparks, and flame.

Keep container tightly closed and store in a cool, dry, well-ventilated area, away from direct sunlight.

After opening, purge container with nitrogen before re-closing.

Section 8: Exposure controls/ personal protection				
Exposure Limits:	Regulator:	Test:	Allowance:	
	ACGIH	TWA/ STEL	400ppm	
	NIOSH	REL	400 ppm (10 hours)	
	NIOSH	STEL	500ppm	
	OSHA	TWA	400 ppm	
<b>Engineering Controls:</b>	Use explosion-proof	ventilation equipment.		
	**			

Use only under a chemical fume hood.

An emergency eye wash/shower must be readily accessible to the work area.

**Personal Protective Equipment:** 

Personal Respirators: When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential

airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial

recommendations.

**Skin Protection:** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles.

## **Section 9: Physical and chemical properties**

**Appearance** 

Physical State: Liquid
Color: Colorless

Odor: Solvent odor - alcohol-like, pleasant

pH: No data available.

**Specific Temperatures:** 

Freezing/Melting Point: -88°C -126.4°F
Boiling Point: 82°C 179.6°F
Decomposition temperature: No data available.

Flammability Characteristics:

Flash Point: 12°C 53.60°F Auto-ignition Temperature: 399°C 750.2°F

**Explosivity Characteristics:** 

Lower (LEL): 2.0% (V)
Upper (UEL): 12.7% (V)

Vapor Pressure: 45.4 mm Hg @ 25°C

**Density:** 

Vapor Density (air=1):

Relative Density (water=1):

Solubility:

2.1

0.785

Miscible.

Complementary Data:

Molecular Weight: 60.14 g/mol

Evaporization Rate: 2 (n-butyl acetate=1)

**Optional Data:** 

Viscosity: 2.04 Centipoise at 25°C

### Section 10: Stability and reactivity

**Stability:** Stable at room temperature in closed containers under normal storage and handling conditions.

Distillation may lead to the formation of peroxides.

This material may be sensitive to peroxide formation.

Conditions to Avoid: Light, ignition sources, acids, excess heat, exposure to moist air or water, oxidizers.

Incompatibilities: Avoid contact with strong oxidizing agents.

Attacks some forms of plastics, rubbers, and coatings.

Hazardous Decomposition Products: Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

## **Section 11: Toxicological information**

Potential health effects:

Inhalation: May cause: cough, dizziness, drowsiness, sore throat, abdominal pain, labored breathing, nausea,

vomiting, and unconsciousness,

Skin Contact: Contact with skin may cause dry skin. Eye Contact: Contact with eyes may cause redness.

Serious damage is not expected to occur.

Ingestion: May cause abdominal pain, labored breathing, nausea, vomiting, unconsciousness, cough, dizziness and

sore throat.

**Chronic Effects:** Prolonged or repeated skin contact may cause defatting and dermatitis.

May cause allergic skin reaction in some individuals.

Numerical measures of Toxicity -

 Acute Toxicity:
 Test
 Subject
 Value

 Oral
 LD 50
 Rat
 5,045 mg/kg

 Skin
 LD 50
 Rabbit
 12,800 mg/kg

Additional Information: RTECS#: NT8050000

Carcinogenicity: This material is not carcinogenic according to IARC, NTP, or OSHA>

Section 12: Ecological information					
<b>Ecotoxicity:</b>	<u>Test</u>	Subject	<u>Value</u>		
	Modified ASTM D 1345 bioassay	Goldfish	> 5,000 mg/L	(24 hours)	
	Static bioassay	Fathead Minnow	11,830 mg/L	(1 hours)	

 LC50
 Fathead Minnow
 9,640 mg/L
 (96 hours)

 EC 50
 Crustaceans
 1,400 mg/L
 (48 hours)

Persistence and degradability: Expected to be highly biodegradable

**Bioaccumulative potential:** The potential for bioconcentration in aquatic organisms is low.

Mobility in soil: This material is expected to have high mobility in soil.

Other adverse effects: Dangerous to aquatic life in high concentrations.

# Section 13: Disposal considerations

**Product:** Recover or recycle if possible.

**Container:** Empty container may retain product residues.

**Disposal:** Dispose of contents in accordance with local/regional/national/ international regulations.

# **Section 14: Transport information**

The information in this section is for reference only and should not take the place of a bill of lading specific to an order.

UN number: UN 1219

UN proper shipping name: Isopropanol

Transport hazard class: 3

Packing group number:

Labels & Placards: Flammable

Marine Pollutant: No

# **Section 15: Regulatory information**

**US FEDERAL** 

**TSCA:** Isopropanol is listed on the TSCA inventory.

# Section 16 - Other Information

SDS Creation Date: 2/27/2013

**Revision date:** 3/9/2015

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Florida Laboratories be liable for any claims, losses, or damages of any third party or for lost profits of any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Florida Laboratories has been advised of the possibility of such damages.