

# SAFETY DATA SHEET

**SKU: Z14-305-16J,** Z14-305-16J1, Z14-305-16J2

Prepared 07/2021

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Binder For "J" Formula

Product Number : Z14-305-16J, Z14-305-16J1, Z14-305-16J2

CAS-No. : 7664-38-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory Reagent, Manufacturing other Chemical Substances

1.3 Details of the supplier of the safety data sheet

Company : Romanoff International

9 Deforest St.

Amityville, NY 11701

Telephone : 631-842-2400 Fax : 631-842-0028

1.4 Emergency telephone number

CHEMTEL ACCOUNT#: MIS4594445 (COLLECT CALLS ACCEPTED)

USA, CANADA 1-800-255-3924 AUSTRALIA: 1-300-954-583

BRAZIL: 0-800-591-6042 CHINA: 400-120-0751 INDIA: 000-800-100-4086 MEXICO: 800-099-0731

ALL OTHER COUNTRIES: 1-813-248-0585

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910(OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

(II)

Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant stainless steel container with a resistant inner
	liner.
P501	Dispose of contents/ container to an approved waste disposal plant

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATIONON INGREDIENTS

#### 3.2 Mixtures

Synonyms : Orthophosphoric acid

Formula : H<sub>3</sub>O<sub>4</sub>P Molecular weight : 98.00 g/mol

### **Hazardous components**

90 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaloc

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Oxides of phosphorus

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

#### 6. ACCIDENTALRELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid inhalation of vapor or mist.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Binder for "J"	7664-38-2	TWA	1.000000	USA. ACGIH Threshold Limit Values
Formula			mg/m3	(TLV)
	Remarks	Upper Respiratory Tract irritation		
		Eye irritation		
		Skin irritation		
		TWA	1 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Upper Respiratory Tract irritation		
		Eye irritation		
		Skin irritation		
		STEL	3.000000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
		Upper Respiratory Tract irritation		
		Eye irritation		
		Skin irritation		
		STEL	3 mg/m3	USA. ACGIH Threshold Limit Values
				(TLV)
		Upper Respiratory Tract irritation		

Eye irritation Skin irritation		
TWA	1.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
ST	3.000000 mg/m3	USA. NIOSH Recommended Exposure Limits

## 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clearb) Odor No data availablec) Odor Threshold No data available

d) pH No data available

e) Melting point/freezing Melti

point

Melting point/range: 40 °C (104 °F) - lit.

f) Initial boiling point and

boiling range

158 °C (316 °F) - lit.

g) Flash point No data availableh) Evaporation rate No data available

Flammability (solid, gas) No data available

j) Upper/lower flammability or

No data available

explosive limits
k) Vapor pressure

Vapor density

No data available No data available

m) Relative density 1.685 g/cm3 at 25 °C (77 °F)

n) Water solubilityo) Partition coefficient: n-

No data available
No data available

octanol/water
p) Auto-ignition

No data available

q) Decomposition temperature

temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

#### 9.2 Other safety information

No data available

# 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong bases, powdered metals

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eyeirritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available No data available

## Specific target organ toxicity -single exposure

No data available

## Specific target organ toxicity -repeated exposure

No data available

## Aspiration hazard

No data available

### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Phosphoric acid)

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1805 Class: 8 Packing group: III

Proper shipping name: Phosphoric acid solution

Reportable Quantity (RQ): 5882 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1805 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: PHOSPHORIC ACID SOLUTION

**IATA** 

UN number: 1805 Class: 8 Packing group: III

Proper shipping name: Phosphoric acid solution

#### 15. REGULATORY INFORMATION

#### SARA 302Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## SARA 313Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312Hazards

Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right to Know Components**

	CAS-No.	Revision Date
Binder for "J" Formula	7664-38-2	1993-04-24

# Pennsylvania Right to Know Components

Binder for "J" Formula	CAS-No.	Revision Date
	7664-38-2	1993-04-24
Water	7732-18-5	

New Jersey Right to Know Components

rien jersey ragnit to ranon components		
Binder for J"Formula	CAS-No.	Revision Date
	7664-38-2	1993-04-24
Water	7732-18-5	

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Eye Dam. Serious eye damage

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Met. Corr. Corrosive to metals Skin Corr. Skin corrosion

**HMIS Rating** 

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

**NFPA Rating** 

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

#### **Further information**

Copyright 2015 City Chemical LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. City Chemical LLC and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.