

SAFETY DATA SHEET according to 1907/2006/EC, Article 31



Page 1/8

Platinum Investment binder, Platinum Plus binder

Revision 1 Revision date 2017-02-13

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier Product	et Part Number: Z14-302-PP
Product name	Platinum Investment binder , Platinum Plus binder
Product code	Platinum - Platinum Plus binder CR098 021317
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;
1.3. Details of the supplier of the	e safety data sheet
Company	Romanoff International Supply Corporation
Address	9 Deforest Street, Amityville, NY 11701 USA. Tel: 631-842-2400
Web Telephone Fax	www.romanoff.com +1 (631) 842-2400 +1 (631) 842-0028
Email address of the competent person	sales@romanoff.com
1.4. Emergency telephone numb	Der
Emergency telephone number	CHEMTEL, ACCOUNT #MIS4594445 COLLECT CALLS ACCEPTED
Company	USA, CANADA 1-800-255-3924 AUSTRALIA: 1-300-954-583 BRAZIL: 0-800-591-6042 CHINA: 400-120-0751 INDIA: 000-800-100-4086 MEXICO: 01-800-099-0731 ALL OTHER COUNTRIES: 1-813-248-0585

SECTION 2: Hazards identification			
2.1. Classification of the substar	nce or mixture		
2.1.1. Classification - 1999/45/EC	C; R34 Symbols: C: Corrosive.		
Main hazards	Causes burns.		
2.1.2. Classification - EC 1272/2008	Skin Corr. 1B: H314;		
2.2. Label elements			
Hazard pictograms	This substance / mixture has been classified in accordance with the US Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Substance concentration band-ranges are presented, and minor ingredient compostion maybe withheld, to protect trade secrets.		
Signal Word	Danger		
Hazard Statement	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.		
	•		



2.2. Label elements	
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash (hands) thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P321 - Specific treatment (see on this label).
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to local and national regulations

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Phosphoric acid% (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2		70 - 80%	5 C; R34	
Hydrochloric acid%	017-002-01-X		231-595-7		1 - 10%	6 C; R34 Xi; R37	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Phosphoric acid% (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2		70 - 80%	Skin Corr. 1B: H314;	
Hydrochloric acid%	017-002-01-X		231-595-7		1 - 10%	Skin Corr. 1B: H314; STOT SE 3: H335;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures



Revision 1 Revision date 2017-02-13

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	intainment and cleaning up
	Neutralise with sodium carbonate CAS 497-19-8. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. Contact a licensed waste disposal company.
6.4. Reference to other sections	
	See section [2, 8 & 13] for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	Ig
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Do not breathe gas/fumes/vapour/spray.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
7.3. Specific end use(s)	
	Foundry material.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
8.1.1. Exposure Limit Values	

Phosphoric acid% (Orthophosphoric acid)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
()	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Wear eye/face protection.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear suitable respiratory equipment when necessary.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Slight/Pungent
Odour threshold	No data available
pH	2 - 3
Melting point	Not applicable.
Freezing Point	No data available
Initial boiling point	> 100 °C
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.5 (H2O = 1 @ 20 °C)
Fat Solubility	Not applicable.
Partition coefficient	No data available
Autoignition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Soluble in water

9.2. Other information

Conductivity	Not applicable.	
Surface tension	Not applicable.	
Gas group	No data available	
Benzene Content	Not applicable.	
Lead content	Not applicable.	
VOC (Volatile organic		
compounds)		
SECTION 10: Stability and reactivity		

10.1. Reactivity	
	Stable under normal conditions.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	Amines. Finely powdered metals. Strong bases.
10.4. Conditions to avoid	
	Heat.
	Moisture.
10.5. Incompatible materials	
	Strong bases.
10.6. Hazardous decomposition	products
	oxides of phosphorus may be formed in fire conditions.
SECTION 11: Toxicological i	information
11.1. Information on toxicologica	al effects



Revision date 2017-02-13

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met. No observed effect level.
Skin corrosion/irritation	Skin corrosion.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met. No observed effect level.
Germ cell mutagenicity	Based on available data, the classification criteria are not met. No observed effect level.
Carcinogenicity	Based on available data, the classification criteria are not met. No observed effect level.
Reproductive toxicity	Based on available data, the classification criteria are not met. No observed effect level.
STOT-single exposure	Based on available data, the classification criteria are not met. No observed effect level.
STOT-repeated exposure	Based on available data, the classification criteria are not met. No observed effect level.
Aspiration hazard	Based on available data, the classification criteria are not met. No observed effect level.
Repeated or prolonged	Causes severe burns.
exposure	

11.1.4. Toxicological Information

Platinum Investment binder , Platinum Plus binder	Oral Rat LD50: 1500	Dermal Rabbit LD50: 2700	
			_

SECTION 12: Ecological information

12.1. Toxicity

Platinum Investment binder,	Daphnia EC50/48h: 100.000 mg/l	Fish LC50/96h: 100.000 mg/l
Platinum Plus binder		

12.2. Persistence and degradability

	No data is available on this product.
12.3. Bioaccumulative potential	

Partition coefficient		
	Platinum Investment binder, No data available Platinum Plus binder	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB	12.5. Results of PBT and vPvB assessment	
	No data is available on this product.	
12.6. Other adverse effects		
	No data is available on this product.	
SECTION 13: Disposal considerations		
General information		
	Dispose of in compliance with all local and national regulations.	
Disposal methods		
	This material and its container must be disposed of as hazardous waste.	
SECTION 14: Transport information		

Hazard pictograms



Hazard pictograms	
14.1. UN number	•
	UN3264
14.2. UN proper shipping name	·
	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (orthophosphoric acid, hydrochloric acid)
14.3. Transport hazard class(es)
ADR/RID	8
Subsidiary risk]-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-
14.4. Packing group	
Packing group	
14.5. Environmental hazards	
Environmental hazards	Unset
Marine pollutant	Unset
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
ΙΑΤΑ	
Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction	851
(Passenger) Maximum quantity	1L
masannann quantity	1

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	U.S. FEDERAL REGULATIONS: Platinum binder and Platinum Plus binder. UNITED STATES DOT LABEL SYMBOL AND HAZARD CLASSIFICATION DOT CORROSIVE
	CERCLA 103 Reportable Quantity: CAS #: 7664-38-2. Chemical: Phosphoric Acid CERCLA RQ: 5000 lbs. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.
	SARA TITLE III: 311/312 HAZARD CATEGORIES: Fire: No Pressure Generating: No Reactivity: No Acute: Yes Chronic: No



15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
	313 REPORTABLE INGREDIENTS: CAS #: 7664-38-2 Chemical: Phosphoric acid CAS # 7647-01-0 Chemical: Hydrogen Chloride TITLE III NOTES: Not Applicable
	Section 302 Extremely Hazardous Substances (TPQ): None
	EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory. NATIONAL RESPONS CENTER: U.S. Coast Guard National Center telephone # 1-800-424-8802
	U.S. STATE REGULATIONS California Proposition 65: This product contains the following substances known to the State of California to cause cancer: none INTERNATIONAL REGULATIONS: CANADA WHMIS HAZARD SYMBOL AND CLASSIFICATION
	Corrosive Class E WHMIS Corrosive
	WHMIS (WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM): This product is WHMIS controlled. WHMIS exempt for uses regulated by the Food and Drug Act
	CANADA INGREDIENT DISCLOSURE LIST: this product does contain ingredient(s) on the "Ingredient Disclosure List."
	CANADIAN ENVIRONMENTAL PROTECTION ACT: All intentional ingredients are listed on the DSL (Domestic Substance List).
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chamical asfaty assagan	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - 2.2. Label elements.
Text of risk phrases in Section	R34 - Causes burns.
3	R37 - Irritating to respiratory system.
Text of Hazard Statements in	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Section 3	STOT SE 3: H335 - May cause respiratory irritation.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,



Further information	
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

