



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

1/7

Platinum investment and Platinum Plus investment [NA]

Revision 5 Revision date 2017-02-14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Part Nun	nber: Z14-302-PP
--	------------------

Product name Platinum investment and Platinum Plus investment [NA]

Platinum and Plus investment 021417 R190 Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Foundry material. Description

1.3. Details of the supplier of the safety data sheet

Company

Romanoff International Supply Corporation Address

9 Deforest Street, Amityville, NY 11701 USA. Tel: 631-842-2400

Web

www.romanoff.com **Telephone** +1 (631) 842-2400 +1 (631) 842-0028 Fax

Email address of the competent person

sales@romanoff.com

1.4. Emergency telephone number

Emergency telephone number

Company

CHEMTEL, ACCOUNT #MIS4594445 COLLECT CALLS ACCEPTED

USA, CANADA 1-800-255-3924 AUSTRALIA: 1-300-954-583 BRAZIL: 0-800-591-6042

INDIA: 000-800-100-4086 MEXICO: 01-800-099-0731 CHINA: 400-120-0751 **ALL OTHER COUNTRIES: 1-813-248-0585**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2.	Classification - EC	,
1272/2	2008	

Carc. 1A: H350; STOT RE 1: H372;

2.2. Label elements

This substance / mixture has been classified in accordance with the US Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Substance concentration band-ranges are presented, and minor ingredient compostion maybe wihtheld, to protect trade secrets.

Hazard pictograms



Signal Word

Hazard Statement

Carc. 1A: H350 - May cause cancer (lungs), Inhalation.

STOT RE 1: H372 - Causes damage to organs (lungs) through prolonged or repeated exposure

Precautionary Statement:

Prevention

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

Revision 5 Revision date 2017-02-14

2.2.	Iа	hel	l el	lem	er	١ts

2.2. Label elements	
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash (hands) thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P285 - In case of inadequate ventilation wear respiratory protection.
Precautionary Statement:	P308+P313 - IF exposed or concerned: Get medical advice/attention.
Response	P314 - Get medical advice/attention if you feel unwell.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to local and national regulations
Disposal	
2.3. Other hazards	
Other hazards	Product contains crystalline silica.
Further information	
	Not applicable. PBT and vPvB assessment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
quartz (conc. >/= 1.0%)		14808-60-7	238-878-4		90 - 100%	Carc. 1A: H350; STOT RE 1:	
						H372;	

Further information

Full text for all Risk Phrases mentioned in this section are displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash with soap and water.
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Revision 5
Revision date 2017-02-14

	Revision date 2017-02-
5.2. Special hazards arising from	the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Self-contained breathing apparatus. Wear suitable protective clothing.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protec	ctive equipment and emergency procedures
	Avoid raising dust. Wear suitable respiratory equipment when necessary.
6.2. Environmental precautions	
	No environmental requirements.
6.3. Methods and material for co	·
	Avoid raising dust. Clean the area using a vacuum cleaner. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sections	•
	See section [2, 8 & 13] for further information.
SECTION 7: Handling and st	
7.1. Precautions for safe handlin	
. 1. Frecautions for sale national	~
	Avoid raising dust. Ensure adequate ventilation of the working area. In case of insufficient ventilation, wear suitable respiratory equipment.
	Do not eat, drink or smoke in areas where this product is used or stored. Wash hands after handling the product.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep containers tightly closed.
7.3. Specific end use(s)	
	Foundry material.
SECTION 8: Exposure contro	ols/personal protection
B.1. Control parameters	
	exposure limits - Crystalline Silica, quartz - 0.025 mg/m3 TWA ACGIH TLV (respirable fraction); 10 mg/m3 / (% Silica + 2) TWA PEL (respirable fraction).
3.2. Exposure controls	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Protective clothing.
Eye / face protection	In case of splashing, wear:. Approved safety goggles. safety glasses with side-shields.
Skin protection - Handprotection	Wear suitable gloves.
Respiratory protection	Suitable respiratory equipment.
8.2.3. Environmental exposure controls	Not normally required.



Revision 5 Revision date 2017-02-14

8.2. Exposure controls

Occupational exposure controls

Appropriate local exhaust ventilation is required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Powder Colour Off white Odour Slight 6 - 8 pН Melting point 2930 °C Freezing Point Not applicable. Initial boiling point Not applicable. Flash point Not applicable. **Evaporation rate** Not applicable. Flammability (solid, gas) Not applicable. Vapour pressure Not applicable. Vapour density Not applicable. Relative density 2 65 **Fat Solubility** Not applicable. Partition coefficient Not applicable. Autoignition temperature Not applicable. Viscosity Not applicable. **Explosive properties** Not applicable. Oxidising properties Not applicable. Solubility Insoluble in water

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
Not applicable.
Not applicable.
Not applicable.
Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not applicable.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No Significant Hazard.

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

No Significant Hazard.

10.6. Hazardous decomposition products

Hazardous Decomposition Products (silica): Crystalline silica will dissolve in hydrofluoric acid and produce silicone tetrafluoride. Reaction with water or acids generates heat.

Revision

Revision date 2017-02-14

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT-single exposure

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged or repeated exposure may cause irritation to skin and mucous membranes.

No irritation expected.

No sensitizaton effects reported.

No mutagenic effects reported.

Known Human Carcinogens (Category 1).

No observed effect level. No observed effect concentration.

No known adverse health effects.

Chronic effects

Prolonged inhalation of respirable crystalline silica

In 1997, the International Agency for Research on Cancer (IARC) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France). In June 2003, the European Commission's Scientific Committee for Occupational Exposure Limits (SCOEL) concluded:

"that the main effect in humans of the inhalation of respirable crystalline silica is silicosis. There is sufficient information to conclude that the relative lung cancer risk is increased in persons with silicosis (and apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk. Since a clear threshold for silicosis development cannot be identified, any reduction of exposure will reduce the risk of silicosis."

(SCOEL SUM Doc 94-final on respirable crystalline silica, June 2003)

There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see Section 16).

Aspiration hazard

Repeated or prolonged exposure

No Significant Hazard.

Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.

11.1.4. Toxicological Information

Platinum investment and		
Platinum Plus investment	[NA]	

Oral Mouse LD50: >5000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Platinum investment and	
Platinum Plus investment	[NA]

Fish LC50/96h: 10000.000 mg/l

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

Does not bioaccumulate.

Partition coefficient

Revision 5 Revision date 2017-02-14

Partition coefficient	
	Platinum investment and Not applicable. Platinum Plus investment [NA]
12.4. Mobility in soil	
	Not determined.
12.5. Results of PBT and vPvB	assessment
	Not determined.
12.6. Other adverse effects	
	Not applicable.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of in compliance with all. local and national regulations.
Disposal methods	
	Contact a licensed waste disposal company.
Disposal of packaging	
	Empty containers can be sent for disposal or recycling.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	er T
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
Further information	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory inf	formation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	U.S. FEDERAL REGULATIONS:
	CERCLA 103 Reportable Quantity: Platinum and Platinum Plus investment is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.
	SARA TITLE III: Hazard Category For Section 311/312: Chronic health

Revision

5

Revision date 2017-02-14

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

U.S. STATE REGULATIONS

California Proposition 65: This product contains the following substances known to the State of California to cause cancer: Crystalline Silica as Quartz .

INTERNATIONAL REGULATIONS:

Canadian Environmental Protection Act: All of the components in this product are listed on the Domestic Substances List (DSL).

Canadian WHMIS Classification: Class D2A (Chronic toxic effects), D2A (Carcinogenicity).

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Text of Haza	ard Statements	in
Section 3		

Carc. 1A: H350 - May cause cancer .

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

Further information

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

