




VC480V (78-3400)		
Part Number	Description	Image
78-3004	Graphite collecting unit, Do60mm xH100mm, VC200-VC680V	
78-3002	Indutherm Original Gold/Silver Graphite Casting Crucible 68mm Metal Capacity: 2.6kg 18ct Au Inside Diameter: 50mm Outside Diameter: 68mm Outside Height: 120mm	
78-3502	Indutherm Original Gold Graphite Casting Crucible 78mm Maximum Temperature: 1300C Inside Diameter: 60mm Outside Diameter: 78mm Outside Total Height: 120mm Spout Diameter: 8mm Metal Capacity: 3.6kg 18ct AU	
78-3502-R	Indutherm Style Gold Graphite Casting Crucible 78mm Max Temperature: 1600C Inside Diameter: 60mm Outside Diameter: 78mm Outside Total Height: 120mm Spout Diameter: 8mm Capacity: 3.6kg 18kt Au	
78-3501-I	Indutherm Original Gold Granulating Crucible 78mm Maximum Temperature: 1300C Inside Diameter: 60mm Outside Diameter: 78mm Outside Total Height: 120mm Spout Diameter: 2mm Metal Capacity: 3.6kg 18ct AU	

78-3003	Indutherm Original Gold Granulating Crucible 68mm Maximum Temperature: 1300C Inside Diameter: 50mm Outside Diameter: 68mm Outside Total Height: 120mm Spout Diameter: 2mm	
78-3503	Indutherm Original Outer Crucible Shield 78mm Capacity: 3.6kg 18kt Au	
78-3010	Indutherm Fiber Filling Cone VC400/450/480 - 200mm(OD) x 50mm(ID) x 20mm(H) Dimensions: 200mm(OD) x 50mm(ID) x 20mm(H)	
78-3002-SH	Indutherm Outer 68mm Crucible Shield VC400-480V Metal Capacity: 2.8kg Inside Diameter: 68mm Outside Base Diameter: 88mm Outside Total Height: 145mm Spout Diameter: 8mm Temp Max: 1300° C	
78-3010	Indutherm Fiber Filling Cone VC400/450/480 - 200mm(OD) x 50mm(ID) x 20mm(H) Dimensions: 200mm(OD) x 50mm(ID) x 20mm(H)	
1) 79-048-WF 2) 79-046-WF	1. Stainless Steel Perforated Flask - 4" x 8.5" - No Flange 2. Stainless Steel Perforated Flask - 4" x 6" - No Flange	

79-65307	Stainless Steel Perforated Flask with Short Neck - 4" x 7" - With Flange	
78-3006	Indutherm Crucible Bottom Insulation 68mm Inside Diameter: 20mm Outside Base Diameter: 68mm Outside Total Height: 25mm Temp Max: 1300° C	
78-3506	Indutherm Bottom Crucible Insulation 78mm Inside Diameter: 20mm Outside Base Diameter: 78mm Outside Total Height: 25mm Temp Max: 1300° C	
78-3504	Indutherm Original Solid Graphite Sealing Rod Product: 12mm(OD x 174mm(OH) Max Temperature: 300C Designed for: Indutherm 68 & 78mm Granulating & Casting Crucibles	
78-3504-R	Indutherm Style Solid Graphite Sealing Rod Diameter: 12mm Length: 174mm Max Temp: 1300°C	
78-3504-C	Indutherm Original Solid Ceramic Sealing Rod Outside Diameter: 12mm Outside Height: 174mm Max Temperature: 1400C	

78-3504-UG	Sealing rod holder, loose clamping with screw for sealing rod Do12	
78-3508	Indutherm Thermocouple Green K Type Side Wall 1200C	
78-3508-N	Indutherm VC Pink Thermocouple 1300C Type N Side Wall	
78-3508-N1	Indutherm Pink Thermocouple 1300C Type N Center Measurement	
78-3508-PT	Indutherm Thermocouple Ceramic Protection Tube 90mm	
78-3508-1PT	Indutherm Ceramic Center Thermocouple Protection Tube	

76-018	Sprue Bases - Tree Style - 4" x 3/8" Diameter	
78-3509	Indutherm Red Silicone Gasket For 100mm Flasks Dimensions: 110mm(ID) x 169mm(OD) x 2mm(H)	
78-3505	VC480V Indutherm Silicone Gasket 158x50x8mm Thick for Flask without Flange Dimensions: 150mm (OD) x 50mm (ID) x 8mm (H)	
78-3511	Indutherm Vacuum Casting Machine Graphoil Gasket 169(OD) 110(ID) 2mm(H)	
78-3511-2	Indutherm Brass Sinter Filter for VC Models	
78-4004-01	Indutherm White Exterior Filter for VC & VTC Models Dimensions: 38mm x 90mm	