

Safety Data Sheet

ITEM# 75-050

SAFETY DATA SHEET

Creation Date 18-Jan-2010

Revision Date 11-Apr-2018

Revision Number 4

1. Identification

Product Name

Talc

Cat No.:

T2-212; T2-500; T4-10; T4-500

CAS-No

14807-96-6

Synonyms

Talcum; Soapstone (Powder/USP/Laboratory)

Recommended Use

Laboratory chemicals.

Uses advised against

Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Romanoff International Supply Corporation

9 Deforest Street Amityville, NY 11701 US Tel: 631-842-2400

CHEM TEL, Account# MIS4594445

Emergency Telephone Number

United States, Canada, Puerto Rico & U.S. Virgin Islands: 1-800-255-3924 Australia: 1-300-954-583, Brasil: 0-800-591-6042, China: 400-120-0751, India: 000-800-100-4086, Mexico: 800-099-0731

ALL OTHER COUNTRIES: 1-813-248-0585

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Specific target organ toxicity (single exposure)

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure)

Target Organs - Lungs.

Combustible dust

Category 1A

Category 3

Category 2

Yes

Label Elements

Signal Word

Danger

Hazard Statements

May form combustible dust concentrations in air

May cause cancer

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area Do not get in eyes, on skin, or on clothing

Response

IF exposed or concerned: Get medical attention/advice Call a POISON CENTER or doctor/physician if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Talc	14807-96-6	99+
Quartz	14808-60-7	01-10

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if

symptoms occur.

Ingestion Do not induce vomiting. Obtain medical attention.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media

No information available

Flash Point

Not applicable

Method -

No information available

Autoignition Temperature

Explosion Limits

No information available

Upper

No data available

Lower

No data available

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Silicon dioxide

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health

Flammability 1

Instability

Physical hazards N/A

Personal Precautions

Use personal protective equipment. Avoid dust formation. Ensure adequate ventilation.

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Avoid release to the environment. See Section 12 for additional ecological information.

Up

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

7. Handling and storage

6. Accidental release measures

Handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothing.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Talc	TWA: 2 mg/m ³	(Vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³ TWA: 2 mg/m ³	TWA: 2 mg/m ³
Quartz	TWA: 0.025 mg/m ³	(Vacated) TWA: 0.1 mg/m³ TWA: 50 µg/m³	IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Powder Solid
Appearance Off-white
Odor Odorless

Odor Threshold
pH
No information available
No information available
No information available
800 °C / 1472 °F

Boiling Point/Range
Flash Point
Evaporation Rate

Not applicable
Not applicable
No information

Flammability (solid,gas)

Flammability or explosive limits

Flammability or explosive limits
Upper

Upper
Lower
No data available
No data available
No information available
Vapor Density
Specific Gravity

Specific Gravity
2.5 - 2.8
Insoluble in water

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No information available

No information available

Viscosity

Molecular Formula

Molecular Weight

No information available
3MgO4SiO2H2O
166.4003

None known

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Avoid dust formation. Excess heat.

Avoid dust formation. Excess fieat.

Hazardous Decomposition Products Silicon dioxide

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

Incompatible Materials

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to respiratory system

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Talc	14807-96-6	Not listed				
Quartz	14808-60-7	Group 1	Known	A2	Y	Not listed

IARC: (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

ACGIH: (American Conference of Governmental Industrial Hygienists)

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

Mutagenic Effects

No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure

STOT - repeated exposure

Respiratory system

Lungs

Aspiration hazard

No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information

No information available

Other Adverse Effects

Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

Ecotoxicity

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Talc	Not listed	LC50: > 100 g/L, 96h semi-static (Brachydanio rerio)	Not listed	Not listed

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available.

Mobility

No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	FNCS	AICS	IECSC	KECL
Talc	X	X	_	238-877-9	_		X	X	Y	ILCGC V	NECL V
Quartz	X	X	-	238-878-4			V	- ^		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Not applicable

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA Cooungtional Cafe

OSHA Occupational Safety and H	lealth Administration
Not applicable	

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Quartz	50 μg/m³ TWA	-
CEDCI A	25 μg/m³ Action Level	

CERCLA

Not applicable

California Proposition 65

This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Quartz	14808-60-7	Carcinogen		
01 1 51 11 11		Carolinogen		Carcinogen

U.S. State Right-to-Know

Regulations

Commence					A CONTRACTOR OF THE CONTRACTOR
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
			, , , , , , , , , , , , , , , , , , , ,		Milode Island

Talc	X	X	Y	I v	T V
Quartz	X	V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	^	X
Quartz	X	L X	X	X	

U.S. Department of Transportation

Reportable Quantity (RQ):

N

DOT Marine Pollutant

Ν

DOT Severe Marine Pollutant

N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

16. Other information

Creation Date

18-Jan-2010

Revision Date

11-Apr-2018

Print Date

11-Apr-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS