

Castaldo[®] Rapido[®] Silicone Jewelry Molding Rubber

1. Identification of the substance/mixture and of the company/ undertaking

| 1.1. Product identifier | | | |
|---|--|--|--|
| Product Identity | Castaldo [®] Rapido [®] Silicone Jewelry Molding Rubber | | |
| Alternate Names | Castaldo [®] Rapido [®] Silicone Jewelry Molding Rubber | | |
| 1.2. Relevant identified uses of the subs | stance or mixture and uses advised against | | |
| Intended use | See Technical Data Sheet. | | |
| Application Method | See Technical Data Sheet. | | |
| 1.3. Details of the supplier of the safety data sheet | | | |
| Company Name | Romanoff International Supply Corporation | | |
| | 9 DeForest St, Amityville NY, 11701 USA | | |
| | 1-631-842-2400 | | |
| Emergency | | | |
| 24 hour Emergency Telephone No. | CHEMTEL, ACCOUNT #MIS4594445 COLLECT CALLS ACCEPTED | | |
| | USA, CANADA 1-800-255-3924 AUSTRALIA: 1-300-954-583 | | |
| | BRAZIL: 0-800-591-6042 CHINA: 400-120-0751 | | |
| | INDIA: 000-800-100-4086 MEXICO: 01-800-099-0731 | | |
| | ALL OTHER COUNTRIES: 1-813-248-0585 | | |
| | | | |

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

No applicable CLP categories.

Classification according to 67/548/EEC or 1999/45/EC.

No applicable DPD categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

According to Regulation (EC) No 1272/2008

[Prevention]:



No CLP prevention statements
[Response]:
No CLP response statements
[Storage]:
No CLP storage statements
[Disposal]:
No CLP disposal statements
See Technical Data Sheet.
2.3. Other hazards
This product contains no PBT/vPvB chemicals.

3. Composition/information on ingredients

There are no ingredients in this product which are classified as hazardous.

4. First aid measures

4.1. Description of first aid measures

| General Inhalation | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position | |
|--|---|--|
| Eyes | and obtain immediate medical attention. Give nothing by mouth. Irrigate copiously with clean water for at least 15 minutes, holding the eyelids | |
| Skin | apart and seek medical attention. Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Wipe off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible. | |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. | |
| 4.2. Most important symptoms and effects, both acute and delayed | | |
| | No specific symptom data available. See section 2 for further details. | |

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, sand. Do not use; Water, dry chemical, halones

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 $^{\circ}$ C (302 $^{\circ}$ F) through oxidation.



SAFETY DATA SHEET

SKU: 73-081

5.3. Advice for fire-fighters

Fire fighters should wear protective clothing including a self-contained breathing apparatus. Special exposure hazards arising from the substance or preparation itself, combustion products, and resulting gases: Hazardous decomposition products: carbon dioxide, carbon monoxide, formaldehyde, silicon dioxide and incompletely burnt hydrocarbons.

Fire and explosion hazards: Caution! This product is not flammable but it may evolve flammable hydrogen gas under certain conditions, which may accumulate in the container headspace. Do not use a welding or cutting torch on or near any container of this material, even if empty, because an explosion could occur. Spontaneous ignition is possible due to electrostatic discharge. The generation of hydrogen gas is increased under circumstances mentioned in Sect. 10 "Stability and reactivity". Contact with contaminated piping or vessels or with corroded and rusty containers can increase the rate of hydrogen formation. Explosion limits for hydrolysis product: 4-75.6% v/v (hydrogen).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Containment: Prevent material from entering surface waters, drains or sewers and soil. Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

Methods for cleaning up: Take up mechanically and dispose of according to local/state/federal regulations. Use vented recovery containers. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction. Eliminate all sources of ignition.

7. Handling and storage

7.1. Precautions for safe handling

Do not seal collection vessel gas-tight. Open and handle container with care. Ensure adequate ventilation. Keep away from incompatible substances accordance with section 10.2. Take precautionary measures against electrostatic charging.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Alkalis

Product can release hydrogen. In partly empties containers formation of explosive mixtures is possible. Keep away from sources of ignition and do not smoke. Keep away from open flames, heat and sparks. Protect against moisture. Store in original container only. Keep container tightly closed and store in well-ventilated place.

7.3. Specific end use(s)

No data available.

SAFETY DATA SHEET



SKU: 73-081

8. Exposure controls and personal protection

8.1. Control parameters

There are no ingredients in this product which are classified as hazardous.

| 8.2. Exposure controls Respiratory | Not necessary. |
|--|--|
| Eyes | Chemical goggles |
| Skin | Butyl rubber protective gloves, neoprene gloves, PVC gloves. |
| | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. Antistatic clothing and shoes. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |

9. Physical and chemical properties

| Appearance | Orange-Brown Solid |
|---|---|
| Odor | Characteristic |
| Odor threshold | Not Measured |
| рН | NA |
| Melting point / freezing point | NA |
| Initial boiling point and boiling range | NA |
| Flash Point | NA |
| Evaporation rate (Ether = 1) | NA |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: NA |
| | |
| | Upper Explosive Limit: NA |
| Vapor pressure (Pa) | Upper Explosive Limit : NA NA |
| Vapor pressure (Pa) Vapor Density | |
| | NA |
| Vapor Density | NA 1.14 G/CM3 |
| Vapor Density Specific Gravity | NA 1.14 G/CM3 NA |
| Vapor Density Specific Gravity Solubility in Water | NA 1.14 G/CM3 NA Insoluble |
| Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) | NA 1.14 G/CM3 NA Insoluble Not Measured |
| Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature | NA 1.14 G/CM3 NA Insoluble Not Measured NA |
| Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature | NA 1.14 G/CM3 NA Insoluble Not Measured NA NA |



9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Moisture. Heat, open flames, and other sources of ignition. Contact with contaminated piping or vessels or with corroded and rusty containers can increase the rate of hydrogen formation. Materials to avoid: Reacts with: acids, basic substances (e.g. alkalis, ammonia, amines), alcohols, water, moisture, oxidizing agents, catalyst. Reaction causes the formation of: hydrogen.

10.5. Incompatible materials

Alkalis

10.6. Hazardous decomposition products

Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

11. Toxicological information

Acute toxicity

There are no ingredients in this product which are classified as hazardous.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------|
| Acute toxicity (oral) | | Not Applicable |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | | Not Applicable |
| Serious eye damage/irritation | | Not Applicable |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | | Not Applicable |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |





SKU: 73-081

| Reproductive toxicity | Not Applicable |
|------------------------|--------------------|
| STOT-single exposure | Not Applicable |
| STOT-repeated exposure | Not Applicable |
| Aspiration hazard | Not Applicable |

12. Ecological information

12.1. Toxicity

No expected damaging effects to water organisms. According to current knowledge adverse effects on water purification plants are not expected.

Aquatic Ecotoxicity

There are no ingredients in this product which are classified as hazardous.

12.2. Persistence and degradability

Biologically not degradable. Separation by sedimentation

12.3. Bioaccumulative potential

Bioaccumulation is not expected to occur.

12.4. Mobility in soil

Insoluble in water.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Danger of oxyhydrogen gas formation with water, alcohols, acids, metallic salts, amines and alkalis. Material designated for disposal must, be segregated from incompatible substances or materials specified in Sect. 10.2. Dispose of according to regulations by incineration in a special waste incinerator. Observe local/state/federal regulations.

Packaging disposal consideration: Containers may contain hazardous quantities of hydrogen gas. Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations.

14. Transport information

DOT (Domestic Surface
Transportation)14.1. UN numberNot Applicable14.2. UN proper shipping
nameNot Regulated

IMO / IMDG (Ocean Transportation) Not Regulated Not Regulated

ICAO/IATA

Not Regulated



SAFETY DATA SHEET

SKU: 73-081

| 14.3. Transport hazard | DOT Hazard Class: Not |
|------------------------|-----------------------|
| class(es) | Applicable |
| | DOT Label: |
| 14.4. Packing group | Not Applicable |

IMDG: Not Applicable Sub Class: Not Applicable Not Applicable Air Class: Not Applicable

Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

National Legislation

None noted.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: The information contained herein is considered accurate; however, F .E. Knight, Inc. makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use. End of Document